

VMC-42LCD

Home | Security | Monitors | TFT/LCD

VMC-42LCD
42''(107cm) LCD/TFT Monitor, Full HD, 1920x1080,

3D-Comb Filter, HDMI, DVI-D, Y/C, VGA

Art-Nr. 200117



Main Features

42''(107cm) full HD LCD/TFT monitor
Resolution 1920 x 1080, 16:9
Metal cabinet including stand
Integrated protection glass
PIP / PBP / VOV multi display funktion
3D comb filter, de-interlace noise reduction

Multi language on-screen menu control
HDMI, DVI, Y/C, VGA, composite inputs
Audio inputs
Integrated loudspeakers
IR remote control

Specifications

Series	eneo VMC
Video standard	PAL/NTSC
Display element	Colour TFT/LCD
Screen size	42''
Screen Size (cm)	106 cm
Screen formats	16:9
Resolution pixels	1920x1080
Resolution	Full HD
Comb Filter [#1]	yes
Comb Filter	3D comb filter with de-interlace
Colour scales	1,06 billion (10 Bit)
Contrast ratio typical	1000:1
Brightness typical	500 cd/m ²

VMC-42LCD

(Continuation Specifications)

Viewing angle vertical	178°
Viewing angle horizontal	178°
Response time typical	9 ms
PC interfaces	VGA, DVI-D, 2x HDMI
Video inputs (type)	2x composite (CVBS), Y/C, VGA, DVI-D
Video outputs	2x 1Vp-p, 75ohms, BNC
Audio inputs	3
Audio input	1x Stereo-in (3.5mm Stereo jack)
Audio inputs	2 x RCA (L+R)
Loudspeaker	built-in
Alarm inputs	1
Menu languages	English, Spanish, French, German, Italian
Supply voltage	100 ~240VAC, 50/60Hz
Power consumption	232W
Remote control	Wireless remote control enabled
Temperature range	-20°C to +60°C
Temperature range (operation)	0°C ~+50°C
Housing material	metal
Mount	VESA standard (4x thread M8, 400x200mm)
Colour (housing)	black
Dimensions (HxWxD)	614x1005x120 mm
Weight	34,97 kg
Parts supplied	manual, power cord, VGA cable, trigger cable, IR remote controller, battery
Certificates	CB, FCC, CE

GENITECH

108, rue Henri Barbusse - 95100 Argenteuil - FR
Phone - 01.49.63.74.41 - Telefax - 01.49.63.74.51
ecorbeau@genitech.fr - www.genitech.fr

