

VMC-32LED

Home | Security | Monitors | TFT/LCD

VMC-32LED

32" (81cm) LCD/TFT Monitor Full HD, 1920x1080,

3D-Comb Filter, HDMI, VGA

Art-Nr. 200875



Main Features

32" (81cm) Full HD LCD/TFT monitor
Resolution 1920 x 1080, 16:9
LED backlight technology
3D comb filter, De-interlace & Noise reduction
Anti-burn pixel protection

HDMI-, DVI-, VGA-, composite inputs
Stereo Audio inputs
User friendly multi language OSD
Metal cabinet including stand
Quick signal switching

Specifications

Series	eneo VMC
Video standard	PAL/NTSC
Display element	Colour TFT/LCD
Screen size	32"
Screen Size (cm)	81.3 cm
Resolution pixels	1920x1080
Comb filter	yes, 3D comb filter with de-interlace
Colour scales	16.7 M Colours
Contrast ratio typical	4000:1
Brightness typical	400 cd/m ²
Viewing angle vertical	89°
Viewing angle horizontal	89°
Light source	LED
Response time typical	6.5 ms, 6,5ms (Tr/Td)

VMC-32LED

(Continuation Specifications)

Video inputs (type)	2x composite, HDMI, VGA, DVI-D, Y/C
Video outputs	2x Composite
Audio inputs	1
Audio input	Stereo (Cinch)
Loudspeaker	built-in
Alarm inputs	1
Menu languages	English, German, French, Spanish, Italian, Polish, Czech
Supply voltage	24VDC (PSU 100V ~240VAC, 50/60Hz supplied)
Power consumption	65W
Temperature range (operation)	0°C ~+40°C
Housing material	metal
Mount	VESA standard (4 threads M4, 100x100mm)
Colour (housing)	black
Weight	10.5kg
Parts supplied	PSU, power cord, manual, VGA cable, IR remote controller, feet set
Certificates	CE

GENITECH Comptabilité

36 Rte de Montpellier · 34230 Vendémian · FR
Phone - 01.49.63.74.41 · Telefax - 01.49.63.74.51
genitech@genitech.fr · — www.genitech.fr

