

PNR-5216

Home | Security | Recording | NVRs

PNR-5216

Network Video Recorder, 16x IP 1920x1080, 400fps,

1TB, H.264, MPEG-4, M-JPEG, DVI, D-Sub

Art-Nr. 202562



Main Features

16 channel Full HD real time NVR
Video compressions: H.264, MPEG-4, MJPEG
Integrated user interface (INEX client)
Management Software included
Cascadable up to 8 units (256 channels)
Compatible to analogue eneo D series DVRs

Management of PNR and D series (256 DVR's)
Standalone unit, local control
Digital PTZ, multiview display
Data export via USB
Up to 4 SATA HDD intern
ONVIF compatible

Specifications

Series	eneo PNR
Channels total	16
IP channels	16
Compression standard	H.264, M-JPEG, MPEG-4
Operation system	Windows XP embedded
Max. recording resolution	1920x1080
Max. recording rate	400 fps, @ 1920 x 1080
Recording speed	400 fps @ 1920x1080
Display	64 fps @ 1920x1080, 400 fps @ 720x576
Number of HDD slots	4x SATA
Harddisk capacity (internal)	1 TB
Max. harddisk capacity (internal)	8 TB
Recording	permanent, event

PNR-5216

(Continuation Specifications)

Monitor outputs	VGA, DVI-D
Audio input	1x line in (1Vpp), Cinch connector
Audio output	line output
Secondary Storage	USB-port external HDD
Displays	64fps @ 1920x1080
Network	10/100/1000 Base-Tx, RJ45
Network protocols	DHCP
Control units (external)	mouse, , keyboard
USB ports	8x USB 2.0
Remote configuration	remote software
Password protection	yes
Supply voltage	100 to 240VAC, 50/60 Hz
Power consumption	80W
Integrated writer	no
Menu languages	German, English, French, Spanish, Italian, Russian, Polish, Czech, Dutch, Hungarian
ONVIF	yes
Dimensions (HxWxD)	95x430x410 mm
Weight	6.3kg
Parts supplied	installation CD, manual, mouse, Keyboard
Certificates	CE

Optional accessories

72998	HDD-2000SATA	Hard Disk Drive 2TB, SATA for eneo BLR, DLR, DMR,HDR Series, expansion
-------	--------------	--

GENITECH Comptabilité



36 Rte de Montpellier · 34230 Argenteuil Vendémian · FR

Phone - 0811.040.048 · Telefax - 01.49.63.74.51

genitech@genitech.fr · — www.genitech.fr