

# DLR-1004/1000V

Home | Security | Recording | DVR

DLR-1004/1000V  
Digital Video Recorder (4 Channels), H.264,  
720x576, 100fps, 1TB

**Art-Nr. 73182**



## Main Features

Quadplex operation  
H.264 video compression standard  
Resolution: 704x576 px. max.  
Recording speed: 100 ips max.  
VGA and composite output  
Network connectivity (10/100Base-T Ethernet)

Secondary storage / Archiving via USB 2.0  
Live picture & playback zoom (2x)  
Storage capacity: 1000GByte  
Integral motion detector  
IR remote control and mouse control  
Webguard remote software

## Specifications

Series	eneo DLR
Operation mode	Quadplex
Video standard	PAL / NTSC (auto selection)
Video inputs (amount)	4
Video inputs	1Vp-p, (C)VBS, 75ohms, BNC
Main video outputs	VGA, CVBS
Video outputs	1Vp-p, 75ohms, BNC
Spot monitor	no
Audio inputs	-
Alarm inputs	no
Motion detector	integrated
Alarm triggers	video loss, motion detection
Alarm outputs	no

# DLR-1004/1000V

(Continuation Specifications)

<b>Alarm notification</b>	e-mail, remote software
<b>Event logs</b>	up to 5000
<b>Max. recording resolution</b>	704x576
<b>Compression standard</b>	H.264
<b>Max. recording rate</b>	100 B./Sek., @ 352 x 288
<b>Recording speed</b>	100 fps @ 352 x 288, 100 fps @ 704 x 288, 50 fps @ 704 x 576
<b>Number of HDD (internal)</b>	1x SATA HDD, not extensible
<b>Harddisk capacity (internal)</b>	1 TB
<b>Max. harddisk capacity (internal)</b>	2 TB
<b>Recording</b>	permanent, movement, timer, event
<b>Digital signature</b>	watermark
<b>Pre-alarm recording</b>	up to 30sec.
<b>Post-alarm recording</b>	up to 60sec.
<b>Playback</b>	full screen, 4 channel split
<b>Patrol mode</b>	yes
<b>Playback speed</b>	100 ips. at CIF (352x288 Px.), 50 ips. at 2CIF (704x288 Px.), 25 ips. at 4CIF (704x576 Px.) / PAL
<b>Zoom function</b>	in full screen mode (live and playback operation)
<b>Search function</b>	date/time, event
<b>Integrated writer</b>	no
<b>Secondary Storage</b>	via USB 2.0: HDD, Flash drive, Network Data Export: Clip Player, AVI, JPG, BMP
<b>Control units (external)</b>	mouse
<b>Remote access</b>	remote software, Microsoft Internet Explorer
<b>Mobile access</b>	iPhone, PDA
<b>Menu languages</b>	German, English, French, Italian, Spanish, Polish, Hungarian, Czech, Danish, Dutch, Russian
<b>Network</b>	10/100 Base-Tx, RJ45
	IPv4
<b>Network protocols</b>	TCP/IP, DHCP, SMTP
<b>Firmware update</b>	via remote software, USB Flash drive
<b>Interfaces external storage</b>	USB
<b>Serial interfaces</b>	no
<b>Password protection</b>	yes
<b>Key locking</b>	no
<b>Operation system</b>	Embedded Linux
<b>Supply voltage</b>	120 / 240VAC via external PSU
<b>Power consumption</b>	15W
<b>Temperature range (operation)</b>	+5°C ~+40°C
<b>Housing</b>	metal with plastic caps

# DLR-1004/1000V

(Continuation Specifications)

<b>Colour</b>	black
<b>Dimensions (HxWxD)</b>	45x260x185mm
<b>Weight</b>	1.35kg
<b>Parts supplied</b>	PSU 100~240V/12VDC with power cord, IR remote control unit, Multiple language manual, PSU 100~240VAC
<b>Remarks</b>	Very low noise (without fan)
<b>Certificates</b>	CE

## Optional accessories

<b>71902</b>	<b>USB-MOUSE</b>	USB Mouse for Recorder Series DMR, DPR, BLR and DLR3/4 - PS/2, USB
<b>72998</b>	<b>HDD-2000SATA</b>	Hard Disk Drive 2TB, SATA for eneo BLR, DLR, DMR Series

GENITECH

108, rue Henri Barbusse - 95100 Argenteuil - FR  
Phone - 01.49.63.74.41 - Telefax - 01.49.63.74.51  
ecorbeau@genitech.fr - [www.genitech.fr](http://www.genitech.fr)

