



ISM-54F0023W0A

SKU: 221437



1/3" Network Board Camera, 2592x1520,Day&Night, WDR, 2,3mm, H.265, PoE, 12VDC

Main Features

1/3" 4.0 MP Omnivision CMOS-Sensor

Resolution max. 2592x1520

Board Camera 50x50x60,4mm

Quad Streaming (H.265, H.264, MJPEG)

True Day & Night (TDN)

Noise Reduction (2D-/3D-DNR)

WDR 120dB, Smart BLC

Slot for Micro SD memory card

ONVIF conformance, PoE IEEE802.af, 12VDC

Audio-, Alarm- In- and Outputs

Privacy zones, password protection, Cross Web-Browsing

Framerate increase on motion detection

Specifications

Dimensions (HxWxD)	50x50x60,4mm
Resolution Standard	4 Megapixel
System	True Day&Night
Sensor size	1/3"
Imager	CMOS
Video compression	H.264, H.264+ (Smart Stream), H.265, H.265+ (Smart Stream), M-JPEG
Image resolution max.	2592x1520
Image Transmission Rate	30 fps
Day&Night Switch	ICR
Sensitivity	0,25 Lux

ISM-54F0023W0A

Continuation of the specifications

Sensitivity 2	40IRE, bei F2,2
Low Speed Shutter	yes
Digital Noise Reduction	yes
Backlight Compensation	Smart BLC
Wide Dynamic Range (WDR)	WDR 120dB
Motion Detector	yes
Lens Type 2	fixed focal length
Focal Length	2,3 mm
Iris Control	no
Digital Zoom	yes
Horizontal Angle of View	130°
Vertical Angle of View	75°
Illumination	no
Housing	without housing
Blower	no
Video outputs	no
Alarm inputs	1
Alarm outputs	1
Audio support	yes
Ethernet interface	100Base-TX, 10Base-T
Serial interfaces	Ethernet
Internal storage	microSDHC card, microSDXC card
Analysis functions	Defog, intrusion, motion analysis, tampering protection
Mounting_4	Einbaumodul
Supply voltage	12VDC, PoE
Power consumption	4.8W
Power over Ethernet	IEEE 802.3af
Vandal proof	no
Operating temperature	0°C ~ +40°C
ONVIF	ONVIF Profile S, ONVIF Profile T
Camera built	Platine
Audio	2 Way Audio
Remote configuration	web browser
Weight	70g
Manufacturer order number	221437

Optional Accessory

SKU	Name	Description
218218	eneo Site Manager	Management Software for eneo IP products

ISM-54F0023W0A

Continuation of accessory

Optional Services

SKU	Name	Description
229234	CON-KAM-IPKON	Preconfiguration 1x IP camera Function test, FW update

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

