



ISM-72M2713W0A

SKU: 234669



1/2.8" Network Module Camera, 1920x1080, Day&Night, WDR, 2.7-13.5mm, H.265, PoE, 12VDC

Main Features

-
- 1/2.8" Sony STARVIS CMOS Sensor
-
- Excellent light sensitivity
-
- Resolution max. 1920x1080 (Full HD)
-
- Motorised varifocal lens 2.7~13.5mm
-
- DOL-WDR (120dB) by triple scan images at 30/25fps
-
- Motion Detection, Privacy Zones, Slow Shutter
-

-
- Browser independent (IE, Edge, Safari, Firefox, Chrome)
-
- Smart Codec H.265 ROI (Region of Interest)
-
- Supports ONVIF Profile S and Profile T
-
- Operating temperature -20°C ~ +50°C
-
- Dimensions 50x50x93mm
-
- Power supply PoE or 12VDC
-

Specifications

Dimensions (HxWxD)	93x50x50mm
Resolution Standard	HD 1080p
System	True Day&Night
Sensor size	1/2.8"
Imager	CMOS
Video compression	H.264, H.264+ (Smart Stream), H.265, H.265+ (Smart Stream), M-JPEG
Image resolution max.	1920x1080
Image Transmission Rate	30 fps
Day&Night Switch	ICR
Sensitivity	0,0008 Lux

ISM-72M2713W0A

Continuation of the specifications

Sensitivity 2	40IRE, at F1.6
Low Speed Shutter	yes
Digital Noise Reduction	yes
Backlight Compensation	BLC, HLC
Wide Dynamic Range (WDR)	D-WDR, DOL-WDR 120dB
Motion Detector	yes
Lens Type 2	Varifocal (motorized)
Focal Length	2,7 - 13,5 mm
Iris Control	DC
Zoom Factor	4x
Digital Zoom	yes
Horizontal Angle of View	108 - 32°
Vertical Angle of View	56 - 18°
Housing	without housing
Blower	yes
Alarm inputs	no
Alarm outputs	no
Audio support	no
Ethernet interface	100Base-TX, 10Base-T
Serial interfaces	Ethernet
Internal storage	no
Analysis functions	motion detection, tampering protection
Mounting_4	flush mount
Supply voltage	12VDC, PoE
Power consumption	3.5W
Power over Ethernet	IEEE 802.3af
Operating temperature	-20°C ~ +50°C
ONVIF	ONVIF Profile S, ONVIF Profile T
Camera built	Platine
Remote configuration	web browser
Weight	160g
Manufacturer order number	234669

Optional Accessory

SKU	Name	Description
218218	eneo Site Manager	Management Software for eneo IP products

Optional Services

SKU	Name	Description
-----	------	-------------

ISM-72M2713W0A

Continuation of services

229234	CON-KAM-IPKON	Preconfiguration 1x IP camera Function test, FW update
--------	---------------	--

Your contact person

SARL GENITECH
108 Rue Henri Barbusse
95100 Argenteuil
FR
Tel: 0139472651
E-Mail: genitech@genitech.fr
Web: www.genitech.fr





ISM-72F0021W0A

SKU: 234668



1/2.8" Network Module Camera, 1920x1080, Day&Night, WDR, 2.1mm, H.265, PoE, 12VDC

Main Features

1/2.8" Sony STARVIS CMOS Sensor	Browser independent (IE, Edge, Safari, Firefox, Chrome)
Excellent light sensitivity	Smart Codec H.265 ROI (Region of Interest)
Resolution max. 1920x1080 (Full HD)	Supports ONVIF Profile S and Profile T
Lens fixed focal length 2.1mm	Operating temperature -20°C ~ +50°C
DOL-WDR (120dB) by triple scan images at 30/25fps	Dimensions 50x50x64mm
Motion Detection, Privacy Zones, Slow Shutter	Power supply PoE or 12VDC

Specifications

Dimensions (HxWxD)	63x50x50mm
Resolution Standard	HD 1080p
System	True Day&Night
Sensor size	1/2.8"
Imager	CMOS
Video compression	H.264, H.264+ (Smart Stream), H.265, H.265+ (Smart Stream), M-JPEG
Image resolution max.	1920x1080
Image Transmission Rate	30 fps
Day&Night Switch	ICR
Sensitivity	0,006 Lux

ISM-72F0021W0A

Continuation of the specifications

Sensitivity 2	40IRE, bei F2,4
Low Speed Shutter	yes
Digital Noise Reduction	yes
Backlight Compensation	BLC, HLC
Wide Dynamic Range (WDR)	D-WDR, DOL-WDR 120dB
Motion Detector	yes
Lens Type 2	Varifocal (motorized)
Focal Length	2,1 mm
Iris Control	DC
Digital Zoom	yes
Horizontal Angle of View	148,3°
Vertical Angle of View	78,4°
Housing	without housing
Blower	yes
Alarm inputs	no
Alarm outputs	no
Audio support	no
Ethernet interface	100Base-TX, 10Base-T
Serial interfaces	Ethernet
Internal storage	no
Analysis functions	motion detection, tampering protection
Mounting_4	flush mount
Supply voltage	12VDC, PoE
Power consumption	3.5W
Power over Ethernet	IEEE 802.3af
Operating temperature	-20°C ~ +50°C
ONVIF	ONVIF Profile S, ONVIF Profile T
Camera built	Platine
Remote configuration	web browser
Weight	150g
Manufacturer order number	234668

Optional Accessory

SKU	Name	Description
218218	eneo Site Manager	Management Software for eneo IP products

Optional Services

SKU	Name	Description
-----	------	-------------

ISM-72F0021W0A

Continuation of services

229234	CON-KAM-IPKON	Preconfiguration 1x IP camera Function test, FW update
--------	---------------	--

Your contact person

SARL GENITECH
108 Rue Henri Barbusse
95100 Argenteuil
FR
Tel: 0139472651
E-Mail: genitech@genitech.fr
Web: www.genitech.fr

