

SKYTRACK-30

PROFESSIONAL PTZ CONTROLLER



Multiprotocols
4D Joystick
POE

Real-time preview
7 cameras shortcuts
HDMI output



SKYTRACK-30

PROFESSIONAL PTZ CONTROLLER

PRODUCT DESCRIPTION

The SKYTRACK-30 is a professional PTZ camera controller designed to deliver a smooth, precise, and intuitive control experience that meets the needs of demanding audiovisual environments.

Equipped with a high-precision 4D joystick and three 3D rotary knobs, it allows natural control of pan, tilt, zoom, and focus movements. Its large 3-inch color LCD screen displays key information in real time and can even preview video streams via RTSP, while the HDMI output makes external monitoring easy.

Compact and elegant, the SKYTRACK-30 combines ergonomics and durability, featuring backlit silicone buttons for optimal use even in low-light conditions, and a quick lock system to prevent accidental operations.

It supports a wide range of control protocols – VISCA, VISCA over IP, VISCA TCP, PELCO P/D, and Onvif – ensuring broad compatibility with most PTZ cameras on the market. Thanks to its multiple interfaces (RS-232, RS-422/485, RJ45 with PoE), it integrates easily into any setup while minimizing cabling.

Designed to control up to 7 cameras simultaneously and store up to 1,000 configurations, the SKYTRACK-30 delivers outstanding efficiency for control rooms, studios, houses of worship, conference halls, and live production environments.

Versatile, reliable, and easy to operate, the SKYTRACK-30 stands out as the ideal PTZ controller for professionals seeking a powerful, dependable, and comfortable solution to centralize and manage their camera systems with precision and ease.

HIGHLIGHTS

4D Joystick

Real-time Preview

3" LCD Screen for RTSP
monitoring

7 cameras shortcuts

HDMI output

WB, Exposure and Focus
Control

Multi-Protocols

VISCA over IP, VISCA Series

Support PoE power supply

Custom buttons

high quality silicone
buttons

Application : conference
room, Broadcast, Events, ...



SKYTRACK-30

PROFESSIONAL PTZ CONTROLLER

SPECIFICATIONS

Joystick	4D precision Joystick
Knobs	3D knobs, supports mode selection by pressing the button, rotating
Buttons	Support one-key lock function
Ouptuts	1x HDMI
Screen	3" LCD color display
Shortcut Button	Support 7 camera shortcut button settings
Lock Button	Support one-key lock function
Max. Control Quantity	1000
Max.Preset Position	255
Control Interface	RJ45 (supports POE), RS-232, RS-422/485
Control	IP Protocols : Onvif, VISCA Over IP, VISCA TCP Serial Protocols : VISCA, Pelco D/P
Power Supply	DC 12V or PoE
Power Consumption	3W
Dimensions	332 x 136 x 116 avec joystick
Weight	0.8 Kg



SKYTRACK-30

PROFESSIONAL PTZ CONTROLLER

BACK CONNECTORS



ACCESSORIES AND OPTIONS

Included accessories :

RS-232 cable, power supply, User Manual

Model reference :

SKYTRACK-30 : Black color body

