



## VKC-13001

Article-No.: 204491

1/3" Board Camera, Colour,  
3.6mm, 700TVL, Housing, 12VDC

### Mainfeatures

CCD colour board camera in metal housing  
OSD menu via inner joystick  
Backlight compensation (BLC)  
Sensitivity of 0.1Lux  
Supply voltage: 12VDC

1/3" 960H Sony EXview HAD CCD II  
Wide-Dynamic-Range function D-WDR  
Motion detection, privacy zones  
Interchangeable lens element  
Micro compact version (30x30mm)

### Specifications

System	electronic Day&Night
Sensor size	1/3"
Imager	CCD
Imager	960H Sony EXview HAD CCD II
Active picture elements	976(H) x 582(V) pixels
Synchronization	internal
Signal-to-noise ratio	50dB
Gamma correction	0.45
Horizontal resolution	700 TVL
Sensitivity	0,1 Lux
Automatic electronic shutter (ESC)	1/50 ~ 1/100,000sec.
Manual electronic shutter (MES)	1/50 ~ 1/10.000sec.
Low speed shutter	no
Automatic gain control (AGC)	yes
Digital Noise Reduction (DNR)	2DNR
White balance	ATW, push, user defined, Anti CR, manual, push lock
Backlight compensation	BLC, HLC

## Specifications (continued)

Wide Dynamic Range (WDR)	D-WDR
Aperture Correction (APC)	horizontal and vertical
IR cut filter	OLPF (Overlay Low Pass Filter)
Video outputs	composite (CVBS)
Lens type	fixed focal length
Focal length	3,6 mm
e-PTZ support	no
Digital zoom	no
Horizontal angle of view	69°
Illumination	no
Menu languages	English, German, French, Russian, Portugese, Spanish, Japanese, Chinese
Activity detection	yes
Privacy zones masking	4 areas, masking, X/Y start/end
Serial interfaces	no
External connections	Video (BNC), 12 VDC (DC socket)
Temperature range (operation)	-10°C ~ +50°C
Housing material	aluminium
Integrated wall mount	no
Hidden cable management	no
Sunshield	no
Window heater	no
Colour (housing)	black
Vandalism resistant	no
Protection rating	n/a
Alarm inputs	-
Alarm outputs	-
Supply voltage	12VDC
Power consumption	0.84W
Dimensions (HxWxD)	30x30x30mm
Weight	40 g
Parts supplied	Camera with U bracket, Connection cable kit, Manual
Certificates	CE

## Optional Accessories

Image	Artikel-Nr. / Typ	Description
	H0225M	F2.5/2.5mm Board Camera Lens, 1/3" M12X0.5



Your partner for eneo products:

