

VM-SD7M

SKU: 229214



Abb. ähnlich

7" (17,7cm) LCD Monitor 800x480, LED, HDMI, VGA, Composite

Main Features

Professional 7" (17,7 cm) LCD monitor	Different video inputs HDMI, VGA, Composite
Industrial design built to run 24x7x365 continuously	Supply voltage: 12VDC
Maximum resolution 800x480 pixels	VESA Standard 75x75mm
LED Back Light	Metal cabinet including stand
Fast response time 5ms	Metallgehäuse inklusive Standfuß
Perfect presentation through digital 3D filtering and noise reduction	

Specifications

General:	
Dimensions (HxWxD)	132x192x40mm
Mount	VESA standard 75x75mm
Supply voltage	12VDC
Series	eneo Monitor
Housing color	black
Housing material	Metal
Loudspeaker	2
Power consumption	7.5W
Operating temperature	-30°C ~ +85°C, @ Humidity 10%-90% (non-condensing)


VM-SD7M

Continuation of the specifications




Weight	2.0kg
Display:	
Pixel fault class	ISO 13406-2, Class II
Pixel format	0,1926mm × 0,1790mm
Video standard	PAL/NTSC
Backlighting	LED
Screen size (inch)	7"
Screen size (cm)	17.7 cm
Aspect ratio	16:9
Viewing angle vertical	178°
Viewing angle horizontal	178°
Brightness typical	250 cd/m ²
Contrast ratio typical	500:1
Reponse time typical	5 ms
Refresh rate	60 Hz
Functions:	
Comb filter	3D Motion Adaptive De-interlace
Menu languages	English
Parts supplied:	
Parts supplied	manual,power cord,PSU 100~240VAC,feet,IR remote controller,HDMI cable
Interfaces / Inputs/ Outputs:	
Audio inputs	1x 3.5mm jack,1, 1
Video inputs	HDMI 1.4a,HDCP 2.2,HDCP 1.4
Video inputs (type)	2x composite (CVBS), HDMI, VGA
Video outputs	Composite (CVBS), composite (CVBS)
Serial interfaces	no
Audio output	1x 3,5mm jack
Video:	
Resolution	800x480,720x400
Other	
Display element	Colour TFT/LCD,Anti-Glare-Display
Applications	24/7, Industrie
Resolution Pixels	800x480
Manufacturer order number	229214

VM-SD7M

Technical Drawing



Unit:mm



Maße / Dimensions: mm



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone:
Fax:
E-Mail:
Web:

+49 6074 - 888 - 300
+49 6074 - 888 - 100
info@eneo-security.com
www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

